






OFF-HIGHWAY MULTI-VIEW DUMPER TRUCKS

80TW

Technical data

GENERAL DATA		80TW
Max load capacity	kg	8.000
Dump body water level capacity	l	2.400
Dump body struck capacity	l	2.800
Dump body heaped capacity	l	3.800
Unloading system		Swivel
Driver's seat		Rotating - Semi-automatic - 3 positions
Frame		Fixed
Empty weight	kg	5.080
Transmission		Hydrostatic
Cabin		Rops-Fops
ENGINE - STAGE V		
Brand		Perkins
Model		404J-E22TA
Power	kW	55
ENGINE - STAGE IIIA		
Brand		Perkins
Model		1104D-44T
Power	kW	74.5
DRIVING		
Max speed	km/h	25 (40 opt.)
Gradeability	%	40
Turning radius	mm	4450
Traction		AWS
Tyres		405/70-20
Axle oscillation lock		Standard
HYDRAULIC SYSTEM		
Hydraulic system		Double gear pump
Working pressure	bar	185
ELECTRICAL SYSTEM		
Starter motor	V/kW	12/2
Battery	V/Ah	12/50
TANK CAPACITY		
Fuel	l	140
Hydraulic	l	140
BRAKES		
Service		Hydraulic acting on both axles
Parking		Hydraulic acting on the rear axles
APPROVALS		
Road approval (Italian)		Yes



80TW

A	4700
B	2150
C	3041
D	750
E	1367
F	2500
G	1050
H	1740
I	2430
J	N.A.
K	2266
L	2091
M	3600
N	1350
O	380
P	61°
Q	35°
R	4450
S	3975
T	1885



Together. Stronger. Closer



AMOG srl | I-80031 Brusciano (NA) | Tel. +39 081 658 8361 | sales@davinogroup.biz

davinodumper.com

