






ARTICULATED SWIVEL DUMPER

DS70

Technical data

GENERAL DATA		DS70
Max load capacity	kg	7.000
Dump body water level capacity	l	2.100
Dump body struck capacity	l	2.800
Dump body heaped capacity	l	3.500
Unloading system		Swivel
Driver's seat		Fixed
Frame		Articulated
Empty weight	kg	3.600
Transmission		Hydrostatic
Cabin		Optional
ENGINE - STAGE V		
Brand		Yanmar
Model		4TNV98CT
Power	kW	53,7
ENGINE - STAGE IIIA		
Brand		Yanmar
Model		4TNV98
Power	kW	52,1
DRIVING		
Max speed	km/h	28
Gradeability	%	40
Turning radius	mm	4925
Traction		Articulated
Tyres		12.5/80-18 A6
Axle oscillation lock		N/A
HYDRAULIC SYSTEM		
Hydraulic system		Double gear pump
Working pressure	bar	220
ELECTRICAL SYSTEM		
Starter motor	V/kW	12/3
Battery	V/Ah	12/50
TANK CAPACITY		
Fuel	l	60
Hydraulic	l	38
BRAKES		
Service		Hydraulic acting on both axles
Parking		Hydraulic acting on the rear axles
APPROVALS		
Road approval (Italian)		Yes



DS70

A	4470
B	1900
C	2810
D	1212
E	1250
F	2008
G	645
H	1630
I	540
J	2530
K	1930
L	2030
M	1815
N	1650
O	3600
P	535
Q	325
R	70°
S	30°
T	3100
U	4925
V	30°



Together. Stronger. Closer



AMOG srl | I-80031 Brusciano (NA) | Tel. +39 081 658 8361 | sales@davinogroup.biz

davinodumper.com

